



10050-03USA.ST25.txt  
SEQUENCE LISTING

<110> POSTECH Foundation  
POSTECH  
RYU, Sung-Ho  
BAE, Yoe-Sik  
PARK, Eun-Young  
SUH, Pann-Ghill

<120> LEUKOCYTE STIMULATING PEPTIDES

<130> 10050-03USA

<140> US 10/774,147

<141> 2004-02-06

<150> US 60/445,621

<151> 2003-02-07

<160> 36

<170> PatentIn version 3.3

<210> 1

<211> 6

<212> PRT

<213> Artificial sequence

<220>

<223> Synthetic

<220>

<221> MISC\_FEATURE

<222> (1)..(1)

<223> Xaa can be Lys, Met, or Arg

<220>

<221> MISC\_FEATURE

<222> (3)..(3)

<223> Xaa can be His, Lys, or Tyr

<220>

<221> MISC\_FEATURE

<222> (4)..(4)

<223> Xaa can be His, Lys, or Tyr

<220>

<221> MISC\_FEATURE

<222> (5)..(5)

<223> Xaa can be Lys, Pro, Arg, Val, or Tyr

<400> 1

Xaa Lys Xaa Xaa Xaa Met  
1 5

<210> 2

<211> 6

<212> PRT

<213> Artificial sequence

<220>  
 <223> Synthetic

<220>  
 <221> MISC\_FEATURE  
 <222> (4)..(4)  
 <223> Xaa can be His, Lys, or Tyr.

<220>  
 <221> MISC\_FEATURE  
 <222> (5)..(5)  
 <223> Xaa can be Lys, Pro, Arg, Val, or Tyr.

<220>  
 <221> MISC\_FEATURE  
 <222> (6)..(6)  
 <223> Xaa can be Met.

<400> 2

Lys Lys His Xaa Xaa Xaa  
 1 5

<210> 3  
 <211> 6  
 <212> PRT  
 <213> Artificial sequence

<220>  
 <223> Synthetic

<220>  
 <221> MISC\_FEATURE  
 <222> (4)..(4)  
 <223> Xaa can be His, Lys, or Tyr.

<220>  
 <221> MISC\_FEATURE  
 <222> (5)..(5)  
 <223> Xaa can be Lys, Pro, Arg, Val, or Tyr.

<220>  
 <221> MISC\_FEATURE  
 <222> (6)..(6)  
 <223> Xaa can be Met.

<400> 3

Lys Lys Tyr Xaa Xaa Xaa  
 1 5

<210> 4  
 <211> 6  
 <212> PRT  
 <213> Artificial sequence

<220>  
 <223> Synthetic

<220>  
 <221> MISC\_FEATURE  
 <222> (4)..(4)  
 <223> Xaa can be His, Lys, or Tyr.

<220>  
 <221> MISC\_FEATURE  
 <222> (5)..(5)  
 <223> Xaa can be Lys, Pro, Arg, Val, or Tyr.

<220>  
 <221> MISC\_FEATURE  
 <222> (6)..(6)  
 <223> Xaa can be Met.

<400> 4

Arg Lys Tyr Xaa Xaa Xaa  
 1 5

<210> 5  
 <211> 6  
 <212> PRT  
 <213> Artificial sequence

<220>  
 <223> Synthetic

<220>  
 <221> MISC\_FEATURE  
 <222> (4)..(4)  
 <223> Xaa can be His, Lys, or Tyr.

<220>  
 <221> MISC\_FEATURE  
 <222> (5)..(5)  
 <223> Xaa can be Lys, Pro, Arg, Val, or Tyr.

<220>  
 <221> MISC\_FEATURE  
 <222> (6)..(6)  
 <223> Xaa can be Met.

<400> 5

Met Lys Tyr Xaa Xaa Xaa  
 1 5

<210> 6  
 <211> 6  
 <212> PRT  
 <213> Artificial sequence

<220>  
 <223> Synthetic

<220>  
 <221> MISC\_FEATURE

<222> (1)..(1)  
 <223> Xaa can be Lys, Met, or Arg.

<220>  
 <221> MISC\_FEATURE  
 <222> (2)..(2)  
 <223> Xaa can be Lys.

<220>  
 <221> MISC\_FEATURE  
 <222> (3)..(3)  
 <223> Xaa can be His, Lys, or Tyr.

<400> 6

Xaa Xaa Xaa His Lys Met  
 1 5

<210> 7  
 <211> 6  
 <212> PRT  
 <213> Artificial sequence

<220>  
 <223> Synthetic

<220>  
 <221> MISC\_FEATURE  
 <222> (1)..(1)  
 <223> Xaa can be Lys, Met, or Arg.

<220>  
 <221> MISC\_FEATURE  
 <222> (2)..(2)  
 <223> Xaa can be Lys.

<220>  
 <221> MISC\_FEATURE  
 <222> (3)..(3)  
 <223> Xaa can be His, Lys, or Tyr.

<400> 7

Xaa Xaa Xaa His Val Met  
 1 5

<210> 8  
 <211> 6  
 <212> PRT  
 <213> Artificial sequence

<220>  
 <223> Synthetic

<220>  
 <221> MISC\_FEATURE  
 <222> (1)..(1)  
 <223> Xaa can be Lys, Met, or Arg.

<220>  
 <221> MISC\_FEATURE  
 <222> (2)..(2)  
 <223> Xaa can be Lys.

<220>  
 <221> MISC\_FEATURE  
 <222> (3)..(3)  
 <223> Xaa can be His, Lys, or Tyr.

<400> 8

Xaa Xaa Xaa Tyr Lys Met  
 1 5

<210> 9  
 <211> 6  
 <212> PRT  
 <213> Artificial sequence

<220>  
 <223> Synthetic

<220>  
 <221> MISC\_FEATURE  
 <222> (1)..(1)  
 <223> Xaa can be Lys, Met, or Arg.

<220>  
 <221> MISC\_FEATURE  
 <222> (2)..(2)  
 <223> Xaa can be Lys.

<220>  
 <221> MISC\_FEATURE  
 <222> (3)..(3)  
 <223> Xaa can be His, Lys, or Tyr.

<400> 9

Xaa Xaa Xaa Tyr Pro Met  
 1 5

<210> 10  
 <211> 6  
 <212> PRT  
 <213> Artificial sequence

<220>  
 <223> Synthetic

<220>  
 <221> MISC\_FEATURE  
 <222> (1)..(1)  
 <223> Xaa can be Lys, Met, or Arg.

<220>  
 <221> MISC\_FEATURE  
 <222> (2)..(2)

<223> Xaa can be Lys.

<220>

<221> MISC\_FEATURE

<222> (3)..(3)

<223> Xaa can be His, Lys, or Tyr.

<400> 10

Xaa Xaa Xaa Tyr Val Met  
1 5

<210> 11

<211> 6

<212> PRT

<213> Artificial sequence

<220>

<223> synthetic

<220>

<221> MISC\_FEATURE

<222> (1)..(1)

<223> Xaa can be Lys, Met, or Arg.

<220>

<221> MISC\_FEATURE

<222> (2)..(2)

<223> Xaa can be Lys.

<220>

<221> MISC\_FEATURE

<222> (3)..(3)

<223> Xaa can be His, Lys, or Tyr.

<400> 11

Xaa Xaa Xaa Tyr Tyr Met  
1 5

<210> 12

<211> 6

<212> PRT

<213> Artificial sequence

<220>

<223> synthetic

<220>

<221> Peptide

<222> (1)..(6)

<223> P1

<220>

<221> PEPTIDE

<222> (1)..(6)

<223> P1

<400> 12

Lys Lys His His Lys Met  
1 5

<210> 13  
<211> 6  
<212> PRT  
<213> Artificial sequence

<220>  
<223> Synthetic

<220>  
<221> Peptide  
<222> (1)..(6)  
<223> P2

<400> 13

Lys Lys His His Val Met  
1 5

<210> 14  
<211> 6  
<212> PRT  
<213> Artificial sequence

<220>  
<223> Synthetic

<220>  
<221> Peptide  
<222> (1)..(6)  
<223> P3

<400> 14

Lys Lys His Tyr Lys Met  
1 5

<210> 15  
<211> 6  
<212> PRT  
<213> Artificial sequence

<220>  
<223> Synthetic

<220>  
<221> Peptide  
<222> (1)..(6)  
<223> P4

<400> 15

Lys Lys His Tyr Pro Met  
1 5

<210> 16  
 <211> 6  
 <212> PRT  
 <213> Artificial sequence

<220>  
 <223> Synthetic

<220>  
 <221> Peptide  
 <222> (1)..(6)  
 <223> P5

<400> 16

Lys Lys His Tyr Val Met  
 1 5

<210> 17  
 <211> 6  
 <212> PRT  
 <213> Artificial sequence

<220>  
 <223> Synthetic

<220>  
 <221> Peptide  
 <222> (1)..(6)  
 <223> P6

<400> 17

Lys Lys His Tyr Tyr Met  
 1 5

<210> 18  
 <211> 6  
 <212> PRT  
 <213> Artificial sequence

<220>  
 <223> Synthetic

<220>  
 <221> Peptide  
 <222> (1)..(6)  
 <223> P7

<400> 18

Lys Lys Tyr His Lys Met  
 1 5

<210> 19



<211> 6  
 <212> PRT  
 <213> Artificial sequence

<220>  
 <223> Synthetic

<220>  
 <221> Peptide  
 <222> (1)..(6)  
 <223> P8

<400> 19

Lys Lys Tyr His Val Met  
 1 5

<210> 20  
 <211> 6  
 <212> PRT  
 <213> Artificial sequence

<220>  
 <223> Synthetic

<220>  
 <221> Peptide  
 <222> (1)..(6)  
 <223> P9

<400> 20

Lys Lys Tyr Tyr Lys Met  
 1 5

<210> 21  
 <211> 6  
 <212> PRT  
 <213> Artificial sequence

<220>  
 <223> Synthetic

<220>  
 <221> Peptide  
 <222> (1)..(6)  
 <223> P10

<400> 21

Lys Lys Tyr Tyr Pro Met  
 1 5

<210> 22  
 <211> 6  
 <212> PRT  
 <213> Artificial sequence

<220>  
<223> Synthetic

<220>  
<221> Peptide  
<222> (1)..(6)  
<223> P11

<400> 22

Lys Lys Tyr Tyr Val Met  
1 5

<210> 23  
<211> 6  
<212> PRT  
<213> Artificial sequence

<220>  
<223> Synthetic

<220>  
<221> Peptide  
<222> (1)..(6)  
<223> P12

<400> 23

Lys Lys Tyr Tyr Tyr Met  
1 5

<210> 24  
<211> 6  
<212> PRT  
<213> Artificial sequence

<220>  
<223> Synthetic

<220>  
<221> Peptide  
<222> (1)..(6)  
<223> P13

<400> 24

Arg Lys Tyr His Lys Met  
1 5

<210> 25  
<211> 6  
<212> PRT  
<213> Artificial sequence

<220>  
<223> Synthetic

<220>  
 <221> Peptide  
 <222> (1)..(6)  
 <223> P14

<400> 25

Arg Lys Tyr His Val Met  
 1 5

<210> 26  
 <211> 6  
 <212> PRT  
 <213> Artificial sequence

<220>  
 <223> Synthetic

<220>  
 <221> Peptide  
 <222> (1)..(6)  
 <223> P15

<400> 26

Arg Lys Tyr Tyr Lys Met  
 1 5

<210> 27  
 <211> 6  
 <212> PRT  
 <213> Artificial sequence

<220>  
 <223> Synthetic

<220>  
 <221> Peptide  
 <222> (1)..(6)  
 <223> P16

<400> 27

Arg Lys Tyr Tyr Pro Met  
 1 5

<210> 28  
 <211> 6  
 <212> PRT  
 <213> Artificial sequence

<220>  
 <223> Synthetic

<220>

<221> Peptide  
 <222> (1)..(6)  
 <223> P17

<400> 28

Arg Lys Tyr Tyr Val Met  
 1 5

<210> 29  
 <211> 6  
 <212> PRT  
 <213> Artificial sequence

<220>  
 <223> Synthetic

<220>  
 <221> Peptide  
 <222> (1)..(6)  
 <223> P18

<400> 29

Arg Lys Tyr Tyr Tyr Met  
 1 5

<210> 30  
 <211> 6  
 <212> PRT  
 <213> Artificial sequence

<220>  
 <223> Synthetic

<220>  
 <221> Peptide  
 <222> (1)..(6)  
 <223> P19

<400> 30

Met Lys Tyr His Lys Met  
 1 5

<210> 31  
 <211> 6  
 <212> PRT  
 <213> Artificial sequence

<220>  
 <223> Synthetic

<220>  
 <221> Peptide  
 <222> (1)..(6)  
 <223> P20

<400> 31

Met Lys Tyr His Val Met  
1 5

<210> 32

<211> 6

<212> PRT

<213> Artificial sequence

<220>

<223> Synthetic

<220>

<221> Peptide

<222> (1)..(6)

<223> P21

<400> 32

Met Lys Tyr Tyr Lys Met  
1 5

<210> 33

<211> 6

<212> PRT

<213> Artificial sequence

<220>

<223> Synthetic

<220>

<221> Peptide

<222> (1)..(6)

<223> P22

<400> 33

Met Lys Tyr Tyr Pro Met  
1 5

<210> 34

<211> 6

<212> PRT

<213> Artificial sequence

<220>

<223> Synthetic

<220>

<221> Peptide

<222> (1)..(6)

<223> P23

<400> 34

Met Lys Tyr Tyr Val Met  
1 5

<210> 35  
<211> 6  
<212> PRT  
<213> Artificial sequence

<220>  
<223> Synthetic

<220>  
<221> Peptide  
<222> (1)..(6)  
<223> P24

<400> 35

Met Lys Tyr Tyr Tyr Met  
1 5

<210> 36  
<211> 6  
<212> PRT  
<213> Artificial sequence

<220>  
<223> Synthetic

<220>  
<221> Peptide  
<222> (1)..(6)  
<223> Control Peptide

<400> 36

Leu Phe Met Tyr His Pro  
1 5

# COPY



BIOTECHNOLOGY  
SYSTEMS  
BRANCH



## RAW SEQUENCE LISTING ERROR REPORT

The Biotechnology Systems Branch of the Scientific and Technical Information Center (STIC) detected errors when processing the following computer readable form:

Application Serial Number: 10174147

Source: IPWO

Date Processed by STIC: 2/18/04



THE ATTACHED PRINTOUT EXPLAINS DETECTED ERRORS.

PLEASE FORWARD THIS INFORMATION TO THE APPLICANT BY EITHER:

- 1) INCLUDING A COPY OF THIS PRINTOUT IN YOUR NEXT COMMUNICATION TO THE APPLICANT, WITH A NOTICE TO COMPLY or,
- 2) TELEPHONING APPLICANT AND FAXING A COPY OF THIS PRINTOUT, WITH A NOTICE TO COMPLY

FOR CRF SUBMISSION AND PATENTIN SOFTWARE QUESTIONS, PLEASE CONTACT MARK SPENCER, TELEPHONE: 703-308-4212; FAX: 703-308-4221

Effective 12/13/03: TELEPHONE: 571-272-2510; FAX: 571-273-0221

TO REDUCE ERRORED SEQUENCE LISTINGS, PLEASE USE THE CHECKER  
VERSION 4.1 PROGRAM, ACCESSIBLE THROUGH THE U.S. PATENT AND  
TRADEMARK OFFICE WEBSITE. SEE BELOW FOR ADDRESS:

<http://www.uspto.gov/web/offices/pac/checker/chkr41note.htm>

Applicants submitting genetic sequence information electronically on diskette or CD-Rom should be aware that there is a possibility that the disk/CD-Rom may have been affected by treatment given to all incoming mail. Please consider using alternate methods of submission for the disk/CD-Rom or replacement disk/CD-Rom. Any reply including a sequence listing in electronic form should NOT be sent to the 20231 zip code address for the United States Patent and Trademark Office, and instead should be sent via the following to the indicated addresses:

1. EFS-Bio (<http://www.uspto.gov/efb/efs/downloads/documents.htm>), EFS Submission User Manual - ePAVE)
2. U.S. Postal Service: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450
3. Hand Carry directly to (EFFECTIVE 12/01/03):  
U.S. Patent and Trademark Office, Box Sequence, Customer Window, Lobby, Room 1B03, Crystal Plaza Two, 2011 South Clark Place, Arlington, VA 22202
4. Federal Express, United Parcel Service, or other delivery service to: U.S. Patent and Trademark Office, Box Sequence, Room 1B03-Mailroom, Crystal Plaza Two, 2011 South Clark Place, Arlington, VA 22202

Revised 10/08/03

BEST AVAILABLE COPY



IFW0

RAW SEQUENCE LISTING

PATENT APPLICATION: US/10/774,147

DATE: 02/18/2004

TIME: 15:00:45

Input Set : A:\10050-03USA.ST25.txt

Output Set: N:\CRF4\02182004\J774147.raw

3 <110> APPLICANT: POSTECH Foundation  
4 POSCO  
5 RYU, Sung-Ho  
6 BAE, Yoe-Sik  
7 PARK, Eun-Young  
8 SUH, Pann-Ghill  
10 <120> TITLE OF INVENTION: LEUKOCYTE STIMULATING PEPTIDES  
12 <130> FILE REFERENCE: 10050-03USA  
--> 14 <140> CURRENT APPLICATION NUMBER: US/10/774,147  
--> 14 <141> CURRENT FILING DATE: 2004-02-06  
14 <150> PRIOR APPLICATION NUMBER: US 60/445,621  
15 <151> PRIOR FILING DATE: 2003-02-07  
17 <160> NUMBER OF SEQ ID NOS: 36  
19 <170> SOFTWARE: PatentIn version 3.2  
21 <210> SEQ ID NO: 1  
22 <211> LENGTH: 6  
23 <212> TYPE: PRT  
24 <213> ORGANISM: Artificial sequence  
26 <220> FEATURE:  
27 <223> OTHER INFORMATION: Hexapeptide  
30 <220> FEATURE:  
31 <221> NAME/KEY: MISC\_FEATURE  
32 <222> LOCATION: (1)..(1)  
33 <223> OTHER INFORMATION: Xaa can be Lys, Met, or Arg  
35 <220> FEATURE:  
36 <221> NAME/KEY: MISC\_FEATURE  
37 <222> LOCATION: (3)..(3)  
38 <223> OTHER INFORMATION: Xaa can be His, Lys, or Tyr  
40 <220> FEATURE:  
41 <221> NAME/KEY: MISC\_FEATURE  
42 <222> LOCATION: (4)..(4)  
43 <223> OTHER INFORMATION: Xaa can be His, Lys, or Tyr  
45 <220> FEATURE:  
46 <221> NAME/KEY: MISC\_FEATURE  
47 <222> LOCATION: (5)..(5)  
48 <223> OTHER INFORMATION: Xaa can be Lys, Pro, Arg, Val, or Tyr  
50 <400> SEQUENCE: 1  
--> 52 Xaa Lys Xaa Xaa Xaa Met  
53 1 5  
56 <210> SEQ ID NO: 2  
57 <211> LENGTH: 6  
58 <212> TYPE: PRT  
59 <213> ORGANISM: Artificial sequence

Does Not Comply  
Corrected Diskette Needed  
(pg.1-5)

Invalid  
Response

BEST AVAILABLE COPY



## RAW SEQUENCE LISTING

PATENT APPLICATION: US/10/774,147

DATE: 02/18/2004

TIME: 15:00:45

Input Set : A:\10050-03USA.ST25.txt

Output Set: N:\CRF4\02182004\J774147.raw

61 <220> FEATURE:  
62 <223> OTHER INFORMATION: Hexapeptide  
65 <220> FEATURE:  
66 <221> NAME/KEY: misc\_feature  
67 <222> LOCATION: (4)..(6)  
68 <223> OTHER INFORMATION: Xaa can be any naturally occurring amino acid  
70 <400> SEQUENCE: 2  
W--> 72 Lys Lys His Xaa Xaa Xaa  
73 1 5  
76 <210> SEQ ID NO: 3  
77 <211> LENGTH: 6  
78 <212> TYPE: PRT  
79 <213> ORGANISM: Artificial sequence  
81 <220> FEATURE:  
82 <223> OTHER INFORMATION: Hexapeptide  
85 <220> FEATURE:  
86 <221> NAME/KEY: misc\_feature  
87 <222> LOCATION: (4)..(6)  
88 <223> OTHER INFORMATION: Xaa can be any naturally occurring amino acid  
90 <400> SEQUENCE: 3  
--> 92 Lys Lys Tyr Xaa Xaa Xaa  
93 1 5  
96 <210> SEQ ID NO: 4  
97 <211> LENGTH: 6  
98 <212> TYPE: PRT  
99 <213> ORGANISM: Artificial sequence  
101 <220> FEATURE:  
102 <223> OTHER INFORMATION: Hexapeptide  
105 <220> FEATURE:  
106 <221> NAME/KEY: misc\_feature  
107 <222> LOCATION: (4)..(6)  
108 <223> OTHER INFORMATION: Xaa can be any naturally occurring amino acid  
110 <400> SEQUENCE: 4  
--> 112 Arg Lys Tyr Xaa Xaa Xaa  
113 1 5  
116 <210> SEQ ID NO: 5  
117 <211> LENGTH: 6  
118 <212> TYPE: PRT  
119 <213> ORGANISM: Artificial sequence  
121 <220> FEATURE:  
122 <223> OTHER INFORMATION: Hexapeptide  
125 <220> FEATURE:  
126 <221> NAME/KEY: misc\_feature  
127 <222> LOCATION: (4)..(6)  
128 <223> OTHER INFORMATION: Xaa can be any naturally occurring amino acid  
130 <400> SEQUENCE: 5  
--> 132 Met Lys Tyr Xaa Xaa Xaa  
133 1 5  
136 <210> SEQ ID NO: 6

BEST AVAILABLE COPY

Input Set : A:\10050-03USA.ST25.txt  
Output Set: N:\CRF4\02182004\J774147.raw

BEST AVAILABLE COPY

137 <211> LENGTH: 6  
138 <212> TYPE: PRT  
139 <213> ORGANISM: Artificial sequence  
141 <220> FEATURE:  
142 <223> OTHER INFORMATION: Hexapeptide - Invalid Response  
145 <220> FEATURE:  
146 <221> NAME/KEY: misc\_feature  
147 <222> LOCATION: (1)..(3)  
148 <223> OTHER INFORMATION: Xaa can be any naturally occurring amino acid  
150 <400> SEQUENCE: 6  
N--> 152 Xaa Xaa Xaa His Lys Met  
153 1 5  
156 <210> SEQ ID NO: 7  
157 <211> LENGTH: 6  
158 <212> TYPE: PRT  
159 <213> ORGANISM: Artificial sequence  
161 <220> FEATURE:  
162 <223> OTHER INFORMATION: Hexapeptide - Invalid Response  
165 <220> FEATURE:  
166 <221> NAME/KEY: misc\_feature  
167 <222> LOCATION: (1)..(3)  
168 <223> OTHER INFORMATION: Xaa can be any naturally occurring amino acid  
170 <400> SEQUENCE: 7  
N--> 172 Xaa Xaa Xaa His Val Met  
173 1 5  
176 <210> SEQ ID NO: 8  
177 <211> LENGTH: 6  
178 <212> TYPE: PRT  
179 <213> ORGANISM: Artificial sequence  
181 <220> FEATURE:  
182 <223> OTHER INFORMATION: Hexapeptide - Invalid Response  
185 <220> FEATURE:  
186 <221> NAME/KEY: misc\_feature  
187 <222> LOCATION: (1)..(3)  
188 <223> OTHER INFORMATION: Xaa can be any naturally occurring amino acid  
190 <400> SEQUENCE: 8  
N--> 192 Xaa Xaa Xaa Tyr Lys Met  
193 1 5  
196 <210> SEQ ID NO: 9  
197 <211> LENGTH: 6  
198 <212> TYPE: PRT  
199 <213> ORGANISM: Artificial sequence  
201 <220> FEATURE:  
202 <223> OTHER INFORMATION: Hexapeptide - Invalid Response  
205 <220> FEATURE:  
206 <221> NAME/KEY: misc\_feature  
207 <222> LOCATION: (1)..(3)  
208 <223> OTHER INFORMATION: Xaa can be any naturally occurring amino acid  
210 <400> SEQUENCE: 9

Input Set : A:\10050-03USA.ST25.txt  
Output Set: N:\CRF4\02182004\J774147.raw

BEST AVAILABLE COPY

\*--> 212 Xaa Xaa Xaa Tyr Pro Met  
213 1 5  
216 <210> SEQ ID NO: 10  
217 <211> LENGTH: 6  
218 <212> TYPE: PRT  
219 <213> ORGANISM: Artificial sequence  
221 <220> FEATURE:  
222 <223> OTHER INFORMATION: Hexapeptide -Invalid Response  
225 <220> FEATURE:  
226 <221> NAME/KEY: misc\_feature  
227 <222> LOCATION: (1)..(3)  
228 <223> OTHER INFORMATION: Xaa can be any naturally occurring amino acid  
230 <400> SEQUENCE: 10

\*--> 232 Xaa Xaa Xaa Tyr Val Met  
233 1 5  
236 <210> SEQ ID NO: 11  
237 <211> LENGTH: 6  
238 <212> TYPE: PRT  
239 <213> ORGANISM: Artificial sequence  
241 <220> FEATURE:  
242 <223> OTHER INFORMATION: Hexapeptide -Invalid Response  
245 <220> FEATURE:  
246 <221> NAME/KEY: misc\_feature  
247 <222> LOCATION: (1)..(3)  
248 <223> OTHER INFORMATION: Xaa can be any naturally occurring amino acid  
250 <400> SEQUENCE: 11

\*--> 252 Xaa Xaa Xaa Tyr Tyr Met  
253 1 5  
256 <210> SEQ ID NO: 12  
257 <211> LENGTH: 6  
258 <212> TYPE: PRT  
259 <213> ORGANISM: Artificial sequence  
261 <220> FEATURE:  
262 <223> OTHER INFORMATION: Hexapeptide -Invalid Response  
265 <220> FEATURE:  
266 <221> NAME/KEY: Peptide  
267 <222> LOCATION: (1)..(6)  
268 <223> OTHER INFORMATION: P1  
270 <400> SEQUENCE: 12  
272 Lys Lys His His Lys Met  
273 1 5  
276 <210> SEQ ID NO: 13  
277 <211> LENGTH: 6  
278 <212> TYPE: PRT  
279 <213> ORGANISM: Artificial sequence  
281 <220> FEATURE:  
282 <223> OTHER INFORMATION: Hexapeptide -Invalid Response  
285 <220> FEATURE:  
286 <221> NAME/KEY: Peptide

Input Set : A:\10050-0308A.ST25.txt  
Output Set: N:\CRF4\02182004\J774147.raw

BEST AVAILABLE COPY

287 <222> LOCATION: (1)..(6)  
288 <223> OTHER INFORMATION: P2  
290 <400> SEQUENCE: 13  
292 Lys Lys His His Val Met  
293 1 5  
296 <210> SEQ ID NO: 14  
297 <211> LENGTH: 6  
298 <212> TYPE: PRT  
299 <213> ORGANISM: Artificial sequence  
301 <220> FEATURE:  
302 <223> OTHER INFORMATION: Hexapeptide  
305 <220> FEATURE:  
306 <221> NAME/KEY: Peptide  
307 <222> LOCATION: (1)..(6)  
308 <223> OTHER INFORMATION: Hexapeptide  
310 <220> FEATURE:  
311 <221> NAME/KEY: Peptide  
312 <222> LOCATION: (1)..(6)  
313 <223> OTHER INFORMATION: P3  
315 <400> SEQUENCE: 14  
317 Lys Lys His Tyr Lys Met  
318 1 5  
321 <210> SEQ ID NO: 15  
322 <211> LENGTH: 6  
323 <212> TYPE: PRT  
324 <213> ORGANISM: Artificial sequence  
326 <220> FEATURE:  
327 <223> OTHER INFORMATION: Hexapeptide  
330 <220> FEATURE:  
331 <221> NAME/KEY: Peptide  
332 <222> LOCATION: (1)..(6)  
333 <223> OTHER INFORMATION: P4  
335 <400> SEQUENCE: 15  
337 Lys Lys His Tyr Pro Met  
338 1 5  
341 <210> SEQ ID NO: 16  
342 <211> LENGTH: 6  
343 <212> TYPE: PRT  
344 <213> ORGANISM: Artificial sequence  
346 <220> FEATURE:  
347 <223> OTHER INFORMATION: Hexapeptide  
350 <220> FEATURE:  
351 <221> NAME/KEY: Peptide  
352 <222> LOCATION: (1)..(6)  
353 <223> OTHER INFORMATION: P5  
355 <400> SEQUENCE: 16  
357 Lys Lys His Tyr Val Met  
358 1 5  
361 <210> SEQ ID NO: 17

Invalid Response

Invalid Response

Invalid Response

The type of errors shown exist throughout  
the Sequence Listing. Please check subsequent  
sequences for similar errors.

RAW SEQUENCE LISTING ERROR SUMMARY  
PATENT APPLICATION: US/10/774,147

DATE: 02/18/2004  
TIME: 15:00:46

Input Set : A:\10050-03USA.ST25.trt  
Output Set: N:\CRF4\02182004\J774147.raw

Please Note:

Use of n and/or Xaa have been detected in the Sequence Listing. Please review the Sequence Listing to ensure that a corresponding explanation is presented in the <220> to <223> fields of each sequence which presents at least one n or Xaa.

Seq#:1; Xaa Pos. 1,3,4,5 ✓  
Seq#:2; Xaa Pos. 4,5,6 ✓  
Seq#:3; Xaa Pos. 4,5,6 ✓  
Seq#:4; Xaa Pos. 4,5,6 ✓  
Seq#:5; Xaa Pos. 4,5,6 ✓  
Seq#:6; Xaa Pos. 1,2,3 ✓  
Seq#:7; Xaa Pos. 1,2,3 ✓  
Seq#:8; Xaa Pos. 1,2,3 ✓  
Seq#:9; Xaa Pos. 1,2,3 ✓  
Seq#:10; Xaa Pos. 1,2,3 ✓  
Seq#:11; Xaa Pos. 1,2,3 ✓

BEST AVAILABLE COPY